




All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**

Max working pressure: **3 BAR**

Max working temperature: **100° C**

Connections: **1/2" FI**

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **4176**

Height over flange: **700**

Width over flange: **1200**

Overall projection: **245**


Valve centres: **1088**

Tube Ø mm: **38.1**

Bard & Brazier rails are made  
in England from high quality brass  
and can be used on open or closed  
circuits



All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**

Max working pressure: **3 BAR**

Max working temperature: **100° C**

Connections: **1/2" FI**

Electric element: **Right hand**

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **4176**

Electric element wattage: **300**

Height over flange: **700**

Width over flange: **1200**  
(Approx 70mm required in addition for element)

Overall projection: **245**


Valve centres: **1088**

Tube  $\varnothing$  mm: **38.1**

Bard & Brazier rails are made  
in England from high quality brass  
and can be used on open or closed  
circuits



All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**

Electric element: **Right hand**

Heat output determined in accordance with EN 442

Electric element wattage: **300**

Height over flange: **700**  
(Approx 70mm required in addition for element)

Width over flange: **1200**

Overall projection: **245**

Tube  $\varnothing$  mm: **38.1**

Bard & Brazier rails are made  
in England from high quality brass