



BARD & BRAZIER BARONIAL TOWEL WARMERS TECHNICAL DATA

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure: 6 BAR

Max working pressure: 3 BAR

Max working temperature: 100°C

Connections: 1/2 FI

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: 1774

Height over flange: 700

Width over flange: 900

Overall projection: 180


Valve centres: 788


Tube ⊘ mm: 38.1

Bard & Brazier rails are made in England from high quality brass and can be used on open or closed

circuits

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure: 6 BAR

Max working pressure: **3 BAR**

Max working temperature: 100°C

Connections: 1/2" FI

Electric element: Right hand

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: 1774

Electric element wattage: 200

Height over flange: 700

900

Width over flange: 9
(Approx 70mm required in addition for element)

Overall projection: 180


Valve centres: 788


Tube ⊘ mm: 38.1 Bard & Brazier rails are made

in England from high quality brass

and can be used on any system

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure: 6 BAR

Electric element: Right hand

Heat output determined in accordance with EN 442

Electric element wattage: 200

Height over flange: 700

(Approx 70mm required in addition for element)

Width over flange: 900

Overall projection: 180

Tube Ø mm: 38.1

Bard & Brazier rails are made

in England from high quality brass