




All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**

Max working pressure: **3 BAR**

Max working temperature: **100 °C**

Connections: **1/2" FI**

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **1320**

Height over flange: **1250**

Width over flange: **800**

Projection over flange: **177**


Face to face tappings: **658**

Tube Ø mm: **31.8**

Bard & Brazier rails are made in England from high quality brass and can be used on open or closed circuits



All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**

Max working pressure: **3 BAR**

Max working temperature: **100 °C**

Connections: **1/2" FI**

Electric element: **Right hand**

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **1320**

Electric element wattage: **150**

Height over flange: **1250**

Width over flange: **800**
(Approx 80mm required in addition for element)

Projection over flange: **177**


Face to face tappings: **658**

Tube \varnothing mm: **31.8**

Bard & Brazier rails are made
in England from high quality brass
and can be used on open or closed
circuits



All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**
Electric element: **Right hand**
Heat output determined in accordance with EN 442

Electric element wattage: **150**
Height over flange: **1250**
Width over flange: **800**
(Approx 80mm required in addition for element)
Projection over flange: **177**
Tube \varnothing mm: **31.8**

Bard & Brazier rails are made
in England from high quality brass