




All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**

Max working pressure: **3 BAR**

Max working temperature: **100 ° C**

Connections: **1/2" FI**

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **2081**

Height over flange: **1850**

Width over flange: **800**

Projection over flange: **177**


Face to face tappings: **658**

Tube Ø mm: **31.8**

Bard & Brazier rails are made in England from high quality brass and can be used on open or closed circuits



All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished




Test pressure: **6 BAR**
 Max working pressure: **3 BAR**
 Max working temperature: **100 °C**
 Connections: **1/2" FI**
 Electric element: **Right hand**
 Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **2081**
 Electric element wattage: **250**
 Height over flange: **1850**
 Width over flange: **800**
(Approx 80mm required in addition for element)
 Projection over flange: **177**
 Face to face tapings: **658**
 Tube \varnothing mm: **31.8**

Bard & Brazier rails are made in England from high quality brass and can be used on open or closed circuits



All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**
Electric element: **Right hand**
Heat output determined in accordance with EN 442

Electric element wattage: **250**
Height over flange: **1850**
Width over flange: **800**
(Approx 80mm required in addition for element)
Projection over flange: **177**
Tube Ø mm: **31.8**

Bard & Brazier rails are made
in England from high quality brass