



BARD & BRAZIER LA FAYETTE TOWEL WARMERS TECHNICAL DATA

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure: 6 BAR

Max working pressure: 3 BAR

Max working temperature: 100°C

Connections: 1/2" FI

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: 1324

Height over flange: 1200

Width over flange: 600

Overall projection: 155

Valve centres: 516


Tube ⊘ mm: 31.8


Bard & Brazier rails are made
in England from high quality brass
and can be used on open or closed
circuits



BARD & BRAZIER LA FAYETTE TECHNICAL DATA TOWEL WARMERS

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure: 6 BAR

Max working pressure: **3 BAR**

Max working temperature: 100°C

Connections: 1/2" FI

Electric element: Right hand

Heat output determined in accordance with EN 442

1324 Btu/hr @ Delta 60:

Electric element wattage: 150

Height over flange: 1200

Width over flange: 600 (Approx 80mm required in addition for element)


Projection over flange: 155


Valve centres: 516

Tube Ø mm: 31.8 Bard & Brazier rails are made in England from high quality brass and can be used on open or closed circuits

E. & O.E.

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure: 6 BAR

Electric element: Right hand

Heat output determined in accordance with EN 442

Electric element wattage: 150

Height over flange: 1200

(Approx 80mm required in addition for element)

Width over flange: 600

Overall projection: 155

Tube Ø mm: 31.8

Bard & Brazier rails are made

in England from high quality brass