



BARD & BRAZIER LA FAYETTE TOWEL WARMERS TECHNICAL DATA

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure:	6 BAR
----------------	-------

Max working pressure: 3 BAR

Max working temperature: 100°C

Connections: 1/2" FI

Heat output determined in accordance with EN 442

Rtu/hr @ Delta 60:	1423

Height over flange: 1200

Width over flange: 800

Overall projection: 155

Valve centres: 716

Tube Ø mm: 31.8

Bard & Brazier rails are made in England from high quality brass and can be used on open or closed


circuits




BARD & BRAZIER LA FAYETTE TOWEL WARMERS TECHNICAL DATA

LFW120/80-DF

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





Test pressure: 6 BAR

Max working pressure: 3 BAR

Max working temperature: 100°C

Connections: 1/2" FI

Electric element: Right hand

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: 1423

Electric element wattage: 150

Height over flange: 1200

Width over flange: 800

(Approx 80mm required in addition for element)

Overall projection: 155

Valve centres: 716


Tube Ø mm: 31.8


Bard & Brazier rails are made
in England from high quality brass
and can be used on open or closed

circuits

LFW120/80SE

All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished





6 BAR Test pressure:

Electric element: **Right hand**

Heat output determined in accordance with EN 442

150 Electric element wattage:

Height over flange: 1
(Approx 80mm required in addition for element) 1200

Width over flange: 800

Overall projection: 155

Tube ⊘ mm: 31.8 Bard & Brazier rails are made

in England from high quality brass