




All dimensions are in mm and may vary + - 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**

Max working pressure: **3 BAR**

Max working temperature: **100 °C**

Connections: **1/2" FI**

Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **4057**

Height over flange: **1800**

Width over flange: **450**

Projection over flange: **181**


Face to face tappings: **310**

Tube Ø mm (upright / rung): **50.5 / 38.1**

Bard & Brazier rails are made in England from high quality brass and can be used on open or closed circuits



All dimensions are in mm and may vary +/- 5mm as they are hand made, hand soldered and polished




Test pressure: **6 BAR**
 Max working pressure: **3 BAR**
 Max working temperature: **100 °C**
 Connections: **1/2" FI**
 Electric element: **Right hand**
 Heat output determined in accordance with EN 442

Btu/hr @ Delta 60: **4057**
 Electric element wattage: **300**
 Height over flange: **1800**
 Width over flange: **450**
 (Approx 100mm required in addition for element)
 Projection over flange: **181**
 Face to face tapings: **310**
 Tube \varnothing mm (upright / rung): **50.5 / 38.1**

Bard & Brazier rails are made in England from high quality brass and can be used on open or closed circuits



All dimensions are in mm and may vary +/- 5mm as they are hand made, hand soldered and polished



Test pressure: **6 BAR**
Electric element: **Right hand**
Heat output determined in accordance with EN 442

Electric element wattage: **300**
Height over flange: **1800**
Width over flange: **450**
(Approx 95mm required in addition for element)
Overall projection: **181**
Tube \varnothing mm (upright / rung): **50.5 / 38.1**

Bard & Brazier rails are made
in England from high quality brass